

GTS-WIFI INSTRUCTIONS – **iPHONE**

WIFI PAIRING MANUAL FOR iPHONE

GET READY FOR CONNECTION

Go to the App Store, download "Radiant Wi-Fi" app and install it. Then create an account with your email address and sign in; Ensure you are connected to your WiFi network, keep your phone, your thermostat, and your WiFi router as close as possible.

- On your thermostat, press POWER to turn your thermostat off
- Press MENU
- Press NEXT to choose MENU 4 (choose MENU 3 for GTS-TIM series)
- 4 Press and hold the DEL button until you see REF, wait for a few seconds until the wifi symbol is flashing on screen



 STEP 1 Touch "+" on the top right corner of your phone to add a new device; Enter your WiFi details. Please ensure you have selected the correct WiFi 	My devices	Choose the Wi-Fi GAOGUOMEI GAOGUOMEI Stephen_2020 Tip: 5g channel Wi fil network is net supported semporarity	
network and the password you enter is correct. Then press "Confirm".		Confirm	
	• 	2	
STEP 2	12:27 ± ♣ ਛ • •0.1 ← Ready	5 to 60%	

- Press "Connect".
- Press "Join" as your phone wants to join device's WiFi hotspot named XPG-GAgent-xxxx;
- Press "Join" as your phone needs to go back to your orignal WiFi network. The connection process is automatically completed. Now your thermostat is accessable via the app.



FLOOR HEATING WA



WIFI PAIRING MANUAL FOR IPHONE CONTINUED

TROUBLESHOOTING

Some phones might not be able to join device's WiFi hotspot automatically. In this case, please do it manually. Follow steps below,

- In Step 2, befor pressing "Connect", please go to your phone's Settings - WLAN
- Connect your phone to device's WiFi hotspot named XPG-GAgent-xxxx;

Once connected to XPG-GAgent-xxxx, return back to the thermostat App and follow Step 2 above

4:00	at. 🕈 🗰)	4:00	at. 🗢 🗰)
Settings WLAN		Settings WLAN	
		WLAN	
WLAN		XPG-GAgent-ec5e	. * 🛈
Insbudoffice	• • 0	ATT METWORKE	
MI NETWORKS		INSBUDNEW	• * ()
insbudoffice5G		instrudeffice	• • •
XPG-GAgent-ec5e	• 🕫 🕕	insbudoffice5G	• • 0
CTHER NETWORKS		CTHER ARTICOUS	
ChinaNet-fYeN	• • ①	ChinaNet-fYeN	• • 0
iTV-freN	• • ①	ITV-freeN	
Other		NJWAP	• • 0
Apps Using WLAN & Cellular	a.	Other	
Enable WAPI		Apps Using WLAN & Cellular	4
		Enable WAPI	
Ask to Join Networks	Notify (
Copert networks will be jame to invate retworks and available, you a the nettice retworks.	d of available	Ask to Join Networks	Net/ 1
	-	Experiments of the property of the	ALC: NAME OF ACCOUNTS

See overleaf for Android instructions >>>



GTS-WIFI INSTRUCTIONS – ANDROID

WIFI PAIRING MANUAL FOR ANDROID

GET READY FOR CONNECTION On android phones, access the app via the QR code shown. Create an account with your email address and sign in; Ensure you are connected to your WiFi network, keep your phone, your thermostat, and your WiFi router as close as possible. 1 On your thermostat, press POWER to turn your thermostat off Press MENU Press NEXT to choose MENU 4 (choose MENU 3 for GTS-TIM series) 4 Press and hold the DEL button until you see REF, wait for a few seconds until the wifi symbol is flashing on screen. STEP 1 < Choose the Wi-Fi My devices 1 Touch "+" on the top right corner of GAOGUOMEI 132 your phone to add a new device; Stephen 2020 Tip: 5g cha el Wi Fi network is not 2 Enter your WiFi details. Please ensure you have selected the correct WiFi Confirm network and the password you enter is correct. Then press "Confirm". 4 2 12-27 # # # + 41 55 26 603.8 STEP 2 ÷ Ready Set the device ready to conn Set the device ready to connect Press "Connect". Connect your phone to the 'XPGe to the XPC et your pl xxx' Wi-Fi Press "Go to connect". GAgent-xxx' Wi-Fi nt Wi-Fi: insbudoffice Connect Connect Please connect Wi-Fi 1 Go to connect

FLOOR HEATING WA



WIFI PAIRING MANUAL FOR ANDROID CONTINUED

